



RTK/RTCM Reference Station

 **Compatible with any RTK System**
thanks to industry standard NTRIP

 **Enables accurate RTK positioning**



Provides corrections on satellite position and clock errors, code/phase biases & atmospheric delays



Cloud based RTCM Service
ensuring usability independent of any company's network policy



ANavS GmbH
Gotthardstraße 40,
80686 Munich

Phone: +49 (0) 89 89056721
Fax: +49 (0) 89 89056720
Email: info@anavs.de
Web: <http://www.anavs.de>

SPECIFICATIONS

Enables accurate RTK-Positioning (1σ):

Horizontal accuracy: 0.015 m + 1 ppm

Vertical accuracy: 0.030 m + 1 ppm

GNSS-Bands: GPS L1C/A L2C,
GLO L1OF L2OF,
GAL E1B/C E5b,
BDS B1I B2I,
QZSS L1C/A L2C

Data:
Communication: NTRIP
Format: RTCM 3.X
Rate: up to 5 Hz

Connectivity: Ethernet, WLAN, LTE

Mechanical:
Size: 227 x 169 x 56 mm
Weight: 1200 g
Operating Temp.: -25°C to +75°C
Ingress protection: IP54

Power-Supply: 230 V power plug
USB Port (Type A)